



गौरीगञ्ज गाउँपालिका गाउँ कार्यपालिकाको कार्यालय



पत्र संख्या(Ref. No): २०८२/०८३

चलानी नं. (Dispatch No):- १६९२



मिति :- २०८३/०३/०५ गते

विषय :- लागत अनुमान प्रयोजनका लागि दररेट पेश गर्ने सम्बन्धमा ।

श्री इजाजत प्राप्त फर्म/ सप्लायर्सहरु सबै,

प्रस्तुत विषयमा यस गा.पा अन्तर्गतको स्वीकृत वार्षिक कार्यक्रम अन्तर्गत विपद व्यवस्थापनको लागि आवश्यक भएको देहाय बमोजिम सामग्रीहरु खरिद गर्नुपर्ने भएकोले यसै पत्रसाथ संलग्न स्पेसिफिकेसन बमोजिमका सामग्रीहरु के / कति दरमा उपलब्ध गराउन सक्नुहुन्छ ? लागत अनुमान प्रयोजनका लागि सो को दररेट आजको मितिले ३ (तिन) दिनभित्र तपसिल बमोजिम कागजात सहित आफै उपस्थित भई वा कार्यालयको इमेल :- ito.gauriganjmun@gmail.com, store.grj1@gmail.com मार्फत यस कार्यालयमा पेश गर्नुहुन अनुरोध छ ।

देहाय :-

सि.नं.	आवश्यक सामग्रीको नाम	स्पेसिफिकेसन	संख्या	इकाई	कैफियत
१.	याफ्ट बोट	संलग्न स्वीकृत टेक्निकल स्पेक बमोजिम (एक्सेसरिज सहित)	१	थान	


तपसिल :-

१. फर्म / व्यवसाय दर्ताको प्रमाणपत्रको प्रतिलिपि
२. स्थायी लेखा नं. प्रमाणपत्रको प्रतिलिपि
३. आ.व. २०८१/०८२ को करचुक्ता प्रमाणपत्रको प्रतिलिपि

द्रष्टव्य: उक्त विपद उद्धारजन्य सामग्रीको *Specification* यसै पत्रसाथ संलग्न राखिएको छ ।

बोधार्थ :-

श्री सूचना प्रविधि शाखा, गौरीगञ्ज गाउँपालिका, झापा ।
(सूचना कार्यालयको वेभसाइटमा अपलोड गरिदिनुहुन ।)



.....
खेमराज थापा
प्रमुख प्रशासकीय अधिकृत

खेमराज थापा
प्रमुख प्रशासकीय अधिकृत



www.gauriganjmun.gov.np



ito.gauriganjmun@gmail.com, store.grj1@gmail.com



9852676909

“दिगो विकास र समृद्ध गौरीगञ्जको आधार : सुशासन सहितको आर्थिक विकास र पूर्वाधार”




Technical Specifications for Procurement of Inflatable Rescue Raft / Rescue Boat :-


1. General Description

The Procuring Entity intends to procure a heavy-duty inflatable rescue raft suitable for swift-water rescue operations, flood response, river patrolling, emergency evacuation, rafting expeditions, and disaster management activities. The raft shall be new, unused, and manufactured from reinforced PVC material with self-bailing capability.

2. Technical Specifications

S.N.	Description	Minimum Requirement
1	Type	Inflatable Rescue Raft / Rescue Boat
2	Model	As Specified By Bidders
3	Construction Material	Reinforced PVC Fabric
4	Fabric Thickness	Minimum 1.2 mm
5	Fabric Strength	Minimum 2000 Denier
6	Bottom Material	Reinforced Boat Bottom with High-Quality Patchable Material
7	Length	460 cm ($\pm 5\%$)
8	Width	228 cm ($\pm 5\%$)
9	Capacity	10-12 Persons
10	Maximum Load Capacity	Minimum 950 kg
11	Air Chambers	Minimum 4+4+1 Independent Chambers
12	Number of Thwarts (Cross Tubes)	Minimum 4 Pieces
13	Tube Diameter	Approximately 60 cm
14	Bow/Stern Height	Approximately 86 cm
15	D-Rings	Minimum 12 Nos.
16	Grab Handles	Minimum 8 Nos.
17	Inflation Valves	UK Imported Air Valves or Equivalent
18	Self-Bailing System	Double-Hole Self-Bailing System
19	River Rating	Suitable for Rapids up to Grade +5


सुरान्त बुढाकोशी
इन्जिनियर
N.E.C.No. 11953


खेमराज शर्मा
प्रमुख प्रशासकीय अधिकृत



	Net Weight	Maximum 75 kg
21	Safety Rope	Full Perimeter Safety Line
22	UV Resistance	UV Resistant PVC Material
23	Abrasion Resistance	Heavy-Duty Reinforced Bottom Protection
24	Portability	Lightweight and Highly Portable Design
25	Intended Use	Quick Rescue, Flood Rescue, Water Transport, Raft Expeditions
26	Color	High Visibility Red/Orange or Equivalent
27	Warranty	Minimum 1 Year Manufacturer Warranty

3. Standard Accessories

The supplier shall provide the following accessories with each raft:


1. Repair/Patching Kit
2. Air Pump (Foot Pump or Electric Pump)
3. Carrying Bag
4. Inflation Valve Wrench
5. Mooring Rope
6. User Manual
7. Maintenance Instructions
8. Manufacturer's Warranty Certificate


4. Quality Requirements

1. The raft shall be manufactured from marine-grade reinforced PVC fabric.
2. All seams shall be heat welded or equivalent heavy-duty construction.
3. Materials shall be resistant to UV radiation, abrasion, river water, and environmental exposure.
4. The raft shall be leak tested before delivery.
5. Product shall be free from manufacturing defects.

5. Inspection and Acceptance :-

The supplied raft shall be inspected for:


पुसन्त बुढाथोकी
इन्जिनियर
N.E.C.No. 11953


सुरेश थापा
प्रमुख प्रशासकीय अधिकृत



Dimensions and material quality.

- Air chamber integrity.
- Inflation and leakage test.
- Self-bailing system functionality.
- Load capacity certification.
- Completeness of accessories.
- Warranty documentation.

Acceptance shall be made only after successful inspection and testing by the The Office of RM.

6. Bidder Qualification Requirements :-


The bidder shall submit:

- Manufacturer's Product Catalogue/Brochure.
- Technical Data Sheet.
- Warranty Commitment Letter.
- Authorization Letter from Manufacturer (if applicable).
- Documentary evidence showing compliance with specifications.



7. Technical Compliance Sheet

S.N.	Specification	Required	Offered	Comply (Yes/No)
1	PVC Thickness	≥ 1.2 mm		
2	Fabric Strength	≥ 2000 Denier		
3	Length	460 cm		
4	Width	228 cm		
5	Capacity	10–12 Persons		
6	Load Capacity	≥ 950 kg		
7	Air Chambers	4+4+1		
8	Self-Bailing System	Required		
9	D-Rings	≥12		
10	Grab Handles	≥8		


सुसान्त बुढाथोकी
इन्जिनियर
N.E.C.No. 11953


खेमराज थापा
मुख्य प्रशासकीय अधिकृत

Warranty	≥1 Year	
----------	---------	--


Note: Equivalent or superior specifications shall be acceptable, provided that documentary evidence is submitted and the offered product fully meets the operational requirements of the Procuring Entity.

Technical Specifications for Procurement of Barrel Pump (One set in each raft)

<p>Barrel Pump (One set in each raft)</p> <ul style="list-style-type: none">• Make: Must be specified by the bidder• Model: Must be specified by the bidder• Country of Origin: Must be specified by the bidder• Action: inflate• Dimension: Min. Diameter 6-inch, Min. Length 24 inch• Volume per stroke: (2 - 2.03) gal.• Hose length: (6.5 to 7) feet• Weight: (11 – 13) lbs.• Features: wide base and carry handle Made of heavy-duty PVC, Foam O-ring seal• Document/s required during the bid submission: Catalog• Warranty: Min. 1 year/s	
--	--



सुसान्त बुढाथोकी
इन्जिनियर
N.E.C.No. 11953



खेमराज थापा
प्रमुख प्रशासकीय अधिकृत